

- Abbott RJ, Smith LC, Milne RI, Crawford RMM, Wolff K, Balfour J (2000) Molecular analysis of plant migration and refugia in the Arctic. *Science* 289:1343-1346.
- Adams JM, Bond NA, Overland JE (2000) Regional variability of the Arctic heat budget in fall and winter. *Journal of Climate* 13:3500-3510.
- Aldahan A, Possnert G, Scherer R, Shi N, Backman J, Bostrom K (2000) Trace-element and major-element stratigraphy in quaternary sediments from the Arctic Ocean and implications for glacial termination. *J Sediment Res* 70:1095-1106.
- Alekseev GV, Bulatov LV, Zakharov VF, Ivanov VV (1998) Heat expansion of Atlantic water in the Arctic Basin. *Meteorology and Hydrology* 7:69-78.
- Alexandrov VY, Martin T, Kolatschek J, Eicken H, Kreyscher M, Makshtas AP (2000) Sea ice circulation in the Laptev Sea and ice export to the Arctic Ocean: Results from satellite remote sensing and numerical modeling. *J Geophys Res-Oceans* 105:17143-17159.
- Altenbach AV, Struck U (2001) On the coherence of organic carbon flux and benthic foraminiferal biomass. *J Foraminifer Res* 31:79-85.
- Anderson LG, Dyrssen D, Jones EP (1990) An assessment of the transport of atmospheric CO<sub>2</sub> into the Arctic Ocean. *J Geophys Res* 95:1703-1711.
- Anderson LG, Olsson K, Chierici M (1998) A carbon budget for the Arctic Ocean. *Global Biogeochem Cycles* 12:455-465.
- Anderson LG, Olsson K, Skoog A (1994) Distribution of dissolved inorganic and organic carbon in the Eurasian Basin of the Arctic Ocean, in the Polar Oceans and their role in shaping the global environment. In: Johannessen OM, Muench RD, Overland JE (ed) *The Polar Oceans and Their Role in Shaping the Global Environment*. American Geophysical Union, Washington, DC, 225-262.
- Anderson NT (2000) Diatoms, temperature and climatic change. *Eur J Phycol* 35:307-314.
- Anderson PH, Lozhkin AV (2001) The Stage 3 interstadial complex (Karginiskii/middle Wisconsinan interval) of Beringia: variations in paleoenvironments and implications for paleoclimatic interpretations. *Quat Sci Rev* 20:93-125.
- Andreev AA, Klimanov VA, Sulerzhitsky LD (2001) Vegetation and climate history of the Yana River lowland, Russia, during the last 6400 yr. *Quat Sci Rev*

- 20:259-266.
- Andreev AA, Peteet DM, Tarasov PE, Romanenko FA, Filimonova LV, Sulerzhitsky LD (2001) Late Pleistocene interstadial environment on Faddeyevskiy Island, East-Siberian sea, Russia. *Arct Antarct Alp Res* 33:28-35.
- Anisimov MV, Ivanov YA, Subbotina MM (2001) Climatic mass, heat, and salt exchange between the Arctic and North Atlantic. *Oceanology* 41:155-161.
- Anisimov OA, Nelson FE (1996.) Permafrost distribution in the Northern Hemisphere under scenarios of climatic change. *Glob Planet Change* 14:59-72.
- Atkinson DE, Alt B, Gajewski K (2000) A new database of High Arctic climate data from the Polar Continental Shelf Project archives. *Bull Amer Meteorol Soc* 81:2621-2629.
- Baskaran M (2001) Scavenging of thorium isotopes in the Arctic regions: Implications for the fate of particle-reactive pollutants. *Mar Pollut Bull* 42:16-22.
- Baskaran M, Asbill S, Schwantes J, Santschi P, Champ MA, Brooks JM, Adkinson D, Makeyev V (2000) Concentrations of Cs-137, Pu-239, Pu-240 and Pb-210 in sediment samples from the Pechora Sea and biological samples from the Ob, Yenisey Rivers and Kara Sea. *Mar Pollut Bull* 40:830-838.
- Bauch D, Bauch HA (2001) Last glacial benthic foraminiferal delta O-18 anomalies in the polar North Atlantic: A modern analogue evaluation. *J Geophys Res-Oceans* 106:9135-9143.
- Bauch HA, Erlenkeuser H, Spielhagen RF, Struck U, Matthiessen J, Thiede J, Heinemeier J (2001) A multiproxy reconstruction of the evolution of deep and surface waters in the subarctic Nordic seas over the last 30,000 yr. *Quat Sci Rev* 20:659-678.
- Bauch HA, Kassens H, Naidina OD, Kunz-Pirrung M, Thiede J (2001) Composition and flux of Holocene sediments on the eastern Laptev Sea shelf, Arctic Siberia. *Quat Res* 55:344-351.
- Beget JE (2001) Continuous Late Quaternary proxy climate records from loess in Beringia. *Quat Sci Rev* 20:499-507.
- Belzile C, Johannessen SC, Gosselin M, Demers S, Miller WL (2000) Ultraviolet attenuation by dissolved and particulate constituents of first-year ice

- during late spring in an Arctic polynya. *Limnol Oceanogr* 45:1265-1273.
- Bennett MR, Huddart D, Glasser NF, Hambrey MJ (2000) Resedimentation of debris on an ice-cored lateral moraine in the high-Arctic (Kongsvegen, Svalbard). *Geomorphology* 35:21-40.
- Berg T, Bartnicki J, Munthe J, Lattila H, Hrehoruk J, Mazur A (2001) Atmospheric mercury species in the European Arctic: measurements and modelling. *Atmospheric Environment* 35:2569-2582.
- Berger GW, Pewe TL (2001) Last Interglacial age of the Eva Forest Bed, Central Alaska, from thermoluminescence dating of bracketing loess. *Quat Sci Rev* 20:485-498.
- Bian LG, Lu LH, Gao ZQ, Cheng YJ, Lu CG, Li SM (2001) Estimation of components of energy balance on drifting ice over Arctic Ocean. *Prog Nat Sci* 11:365-373.
- Bigelow NH, Edwards ME (2001) A 14,000 yr paleoenvironmental record from Windmill Lake, Central Alaska: Late glacial and Holocene vegetation in the Alaska range. *Quat Sci Rev* 20:203-215.
- Bigg GR, Wadley MR (2001) Millennial-scale variability in the oceans: an ocean modelling view. *J Quat Sci* 16:309-319.
- Bogorodskii PV, Nagurnyi AP (2000) Under-ice meltwater puddles: A factor of fast sea ice melting in the Arctic. *Dokl Earth Sci* 373:885-887.
- Borga K, Gabrielsen GW, Skaare JU (2001) Biomagnification of organochlorines along a Barents Sea food chain. *Environmental Pollution* 113:187-198.
- Borretzen P, Salbu B (2000) Estimation of apparent rate coefficients for radionuclides interacting with marine sediments from Novaya Zemlya. *Sci Total Environ* 262:91-102.
- Bossew P, Ichikawa M, Mraz G, Wallner G, Wenisch A (2000) Radiological investigations in the surroundings of Bilibino, Chukotka, Russia. *J environ Radioact* 51:299-319.
- Bourgeois JC, Gajewski K, Koerner RM (2001) Spatial patterns of pollen deposition in arctic snow. *Journal of Geophysical Research-Atmospheres* 106:5255-5265.
- Bourgeois JC, Koerner RM, Gajewski K, Fisher DA (2000) A holocene ice-core pollen record from Ellesmere Island, Nunavut, Canada. *Quat Res* 54:275-283.

- Brandefelt J, Holmen K (2001) Anthropogenic and biogenic winter sources of Arctic CO<sub>2</sub> - a model study. *Tellus Ser B-Chem Phys Meteorol* 53:10-21.
- Brigham-Grette J (2001) New perspectives on Beringian Quaternary paleogeography, stratigraphy, and glacial history. *Quat Sci Rev* 20:15-24.
- Brigham-Grette J, Elias SA (2001) David M. Hopkins - an inspiration to multidisciplinary science. *Quat Sci Rev* 20:1-3.
- Brigham-Grette J, Hopkins DM, Ivanov VF, Basilyan AE, Benson SL, Heiser PA, Pushkar VS (2001) Last Interglacial (isotope stage 5) glacial and sea-level history of coastal Chukotka Peninsula and St. Lawrence Island Western Beringia. *Quat Sci Rev* 20:419-436.
- Broccoli AJ, Delworth TL, Lau NC (2001) The effect of changes in observational coverage on the association between surface temperature and the Arctic oscillation. *Journal of Climate* 14:2481-2485.
- Brubaker LB, Anderson PM, Hu FS (2001) Vegetation ecotone dynamics in Southwest Alaska during the Late Quaternary. *Quat Sci Rev* 20:175-188.
- Bruchert V, Knoblauch C, Jorgensen BB (2001) Controls on stable sulfur isotope fractionation during bacterial sulfate reduction in Arctic sediments. *Geochim Cosmochim* 65:763-776.
- Bryan F (1986) High latitude salinity effects and interhemispheric thermohaline circulation. *Nature* 323:301-304.
- Bussmann I, Kattner G (2000) Distribution of dissolved organic carbon in the central Arctic Ocean: the influence of physical and biological properties. *J Mar Systems* 27:209-219.
- Calkin PE, Wiles GC, Barclay DJ (2001) Holocene coastal glaciation of Alaska. *Quat Sci Rev* 20:449-461.
- Carmack E (2000) The Arctic Ocean's freshwater budget: sources, storage and export. In: Lewis EL (ed) *The freshwater Budget of the Arctic Ocean*. NATO Meeting/NATO ASI Series, Kluwer Academic Publishers, Dordrecht, 91-126.
- Cauwet G, Sidorov I (1996) The biogeochemistry of Lena River: organic carbon and nutrients distribution. *Mar Chem* 53:211-227.
- Champ MA, Makeyev VM, Brooks JM, Delaca TE (2000) Contaminants in the Arctic. *Mar Pollut Bull* 40:801-802.

- Chapin FS, McGuire AD, Randerson J, Pielke R, Baldocchi D, Hobbie SE, Roulet N, Eugster W, Kasischke E, Rastetter EB, Zimov SA, Running SW (2000) Arctic and boreal ecosystems of western North America as components of the climate system. *Global Change Biology* 6:211-223.
- Chapman WL, Walsh JE (1999) Recent variations of sea ice and air temperature in high latitudes. *Bulletin of the American Meteorological Society* 74:33-47.
- Chernavskaya MM, Pushin AV, Zemtsov DY (1996) Growth response to circulation processes over the north-western part of the Russian plain. *Dendrochronologia* 14:181-191.
- Christensen JH, Kuhry P (2000) High-resolution regional climate model validation and permafrost simulation for the East European Russian Arctic. *Journal of Geophysical Research-Atmospheres* 105:29647-29658.
- Christensen JP (1994) Carbon export from continental shelves, denitrification and atmospheric carbon dioxide. *Cont Shelf Res* 14:
- Christensen TR, Friberg T, Sommerkorn M, Kaplan J, Illeris L, Soegaard H, Nordstroem C, Jonasson S (2000) Trace gas exchange in a high-arctic valley 1. Variations in CO<sub>2</sub> and CH<sub>4</sub> flux between tundra vegetation types. *Global Biogeochem Cycles* 14:701-713.
- Ciais P, Tans PP, White JWC, Trolier M, Francey RJ, Berry JA, Randall DR, Sellers PJ, Collatz JG, Schimel DS (1995) Partitioning of ocean and land uptake of CO<sub>2</sub> as inferred by <sup>13</sup>C Measurements from the NOAA/CMDL Global Air Sampling Network. *J Geophys Res* 100:5051-5070.
- Codispoti LA, Clarc D, Packard T, Walsh JJ (1990) Global change and the cycling of biogenic materials in the Arctic Ocean and its adjacent seas. *Arctic System Science, Report of a Workshop. Lake Arrowhead, California*, 51-74
- Cofaigh CO, England J, Zreda M (2000) Late Wisconsinan glaciation of southern Eureka Sound: evidence for extensive Inuitian Ice in the Canadian High Arctic during the Last Glacial Maximum. *Quat Sci Rev* 19:1319-1341.
- Cogley JG, Adams WP (2000) Remote-sensing resources for monitoring glacier fluctuations on Axel Heiberg Island. *Arctic* 53:248-259.
- Coltrain JB, Hayes MG (2001) Transitions in eastern Arctic coastal diets. *Am J Phys Anthropol* 53-53.
- Conway TY, Tans PP, Waterman LS, Thoning KW, Kitzis DR, Masarie KA, N.

- Zhang (1994) Evidence for interannual variability of the carbon cycle from the NOAA/CMDL Global Air Sampling Network. *J Geophys Res* 99:22831-22855.
- Cooper LW, Beasley T, Aagaard K, Kelley JM, Larsen IL, Grebmeier JM (1999) Distributions of nuclear fuel-reprocessing tracers in the Arctic Ocean: Indications of Russian river influence. *J Mar Res* 57:715-738.
- Cooper LW, Cota GF, Pomeroy LR, Grebmeier JM, Whitley TE (1999) Modification of NO, PO, and NO/PO during flow across the Bering and Chukchi shelves: Implications for use as Arctic water mass tracers. *J Geophys Res-Oceans* 104:7827-7836.
- Cooper LW, Grebmeier JM, Larsen IL, Dolvin S, Reed AJ (1998) Inventories and distribution of radiocesium in arctic marine sediments: Influence of biological and physical processes. *Chem Ecol* 15:27-46.
- Cooper LW, Kelley JM, Bond LA, Orlandini KA, Grebmeier JM (2000) Sources of the transuranic elements plutonium and neptunium in arctic marine sediments. *Mar Chem* 69:253-276.
- Crane K, Galasso J, Brown C, Cherkashov G, Ivanov G, Vanstain B (2000) Northern ocean inventories of radionuclide contamination: GIS efforts to determine the past and present state of the environment in and adjacent to the Arctic. *Mar Pollut Bull* 40:853-868.
- Dahle S, Denisenko SG, Denisenko NV, Cochrane SJ (1998) Benthic fauna in the Pechora Sea. *Sarsia* 83:183-210.
- Danilov ID (2000) Submarine permafrost of the Arctic Shelf and related processes of cryogenic lithomorphogenesis. *Oceanology* 40:714-722.
- de Caritat P, Reimann C, Bogatyrev I, Chekushin V, Finne TE, Halleraker JH, Kashulina G, Niskavaara H, Pavlov V, Ayras M (2001) Regional distribution of Al, B, Ba, Ca, K, La, Mg, Mn, Na, P, Rb, Si, Sr, Th, U and Y in terrestrial moss within a 188,000 km<sup>2</sup> area of the central Barents region: influence of geology, seaspray and human activity. *Appl Geochem* 16:137-159.
- Denisenko SG (1998) Modern state of benthic communities in two Arctic estuarine bays. *Proceedings of ICES Symposium*. Helsinki, need page numbers, other bibliographical information
- Dickson RR, Osborn TJ, Hurrell JW, Meincke J, Blindheim J, Adlandsvik B, Vinje T, Alekseev G, Maslowski W (2000) The Arctic Ocean response to the North Atlantic oscillation. *Journal of Climate* 13:2671-2696.

- Dikov NN (1993) Asia in the Juncture with America in Antiquity: The Stone Age of the Chukchi Peninsula. Translated by Richard Bland, 1997. U.S. Department of Interior, Anchorage
- Dixon EJ (2001) Human colonization of the Americas: timing, technology and process. *Quat Sci Rev* 20:277-299.
- Dmitrenko IA, Hoelemann JA, Kirillov SA, Berezovskaya SL, Kassens H (2001) Role of barotropic sealevel changes in current formation on the eastern shelf of the Laptev Sea. *Dokl Earth Sci* 377:243-249.
- Dokken TM, Hald M (1996) Rapid climatic shifts during isotope stages 2\_4 in the Polar North Atlantic. *Geology* 24:599-602.
- Douglas MSV, Smol JP (2000) Eutrophication and recovery in the High Arctic: Meretta lake (Cornwallis Island, Nunavut, Canada) revisited. *Hydrobiologia* 431:193-204.
- Dudarev OV, Semiletov IP, Botsul AI (2001) The coastal erosion as significant source of the particulate matter into the Arctic Shelf. Proceedings of the 2nd Wadati Conf On Global Change and Polar Climate. Tsukuba, Japan, 176-178
- Duffy PB, Eby M, Weaver AJ (2001) Climate model simulations of effects of increased atmospheric CO<sub>2</sub> and loss of sea ice on ocean salinity and tracer uptake. *Journal of Climate* 14:520-532.
- Duplessy JC, Ivanova E, Murdmaa I, Paterne M, Labeyrie L (2001) Holocene paleoceanography of the northern Barents Sea and variations of the northward heat transport by the Atlantic Ocean. *Boreas* 30:2-16.
- Dyke AS, Savelle JM (2000) Holocene driftwood incursion to southwestern Victoria Island, Canadian Arctic Archipelago, and its significance to paleoceanography and archaeology. *Quat Res* 54:113-120.
- Dyke AS, Savelle JM (2001) Holocene history of the Bering Sea bowhead whale (*Balaena mysticetus*) in its Beaufort Sea summer grounds off southwestern Victoria Island, western Canadian Arctic. *Quat Res* 55:371-379.
- Edwards ME, Mock CJ, Finney BP, Barber VA, Bartlein PJ (2001) Potential analogues for paleoclimatic variations in eastern interior Alaska during the past 14,000 yr: atmospheric-circulation controls of regional temperature and moisture responses. *Quat Sci Rev* 20:189-202.

- Ekwurzel B, Schlosser P, Mortlock RA, Fairbanks RG, Swift JH (2001) River runoff, sea ice meltwater, and Pacific water distribution and mean residence times in the Arctic Ocean. *J Geophys Res-Oceans* 106:9075-9092.
- Elias SA (2000) Climatic tolerances and zoogeography of the Late Pleistocene beetle fauna of Beringia. *Geographie Physique Et Quaternaire* 54:143-155.
- Elias SA (2001) Mutual climatic range reconstructions of seasonal temperatures based on Late Pleistocene fossil beetle assemblages in Eastern Beringia. *Quat Sci Rev* 20:77-91.
- Elias SA (2001) Beringian paleoecology: results from the 1997 workshop. *Quat Sci Rev* 20:7-13.
- Fagel N, Robert C, Preda M, Thorez J (2001) Smectite composition as a tracer of deep circulation: the case of the Northern North Atlantic. *Mar Geol* 172:309-330.
- Falk-Petersen S, Hop H, Budgell WP, Hegseth EN, Korsnes R, Loyning TB, Orbaek JB, Kawamura T, Shirasawa K (2000) Physical and ecological processes in the marginal ice zone of the northern Barents Sea during the summer melt period. *J Mar Systems* 27:131-159.
- Falk-Petersen S, Sargent JR, Kwasniewski S, Gulliksen B, Millar RM (2001) Lipids and fatty acids in *Clione limacina* and *Limacina helicina* in Svalbard waters and the Arctic Ocean: trophic implications. *Polar Biol* 24:163-170.
- Fay FH, Eberhardt LL, Kelly BP, Burns JJ, Quakenbush LT (1997) Status of the Pacific walrus population, 1950-1989. *Marine Mammal Science* 13:537-565.
- Felzer B (2001) Climate impacts of an ice sheet in East Siberia during the Last Glacial Maximum. *Quat Sci Rev* 20:437-447.
- Fieg K, Gerdes R (2001) Sensitivity of the thermohaline circulation to modern and glacial surface boundary conditions. *J Geophys Res-Oceans* 106:6853-6867.
- Fisk AT, Hobson KA, Norstrom RJ (2001) Influence of chemical and biological factors on trophic transfer of persistent organic pollutants in the northwater polynya marine food web. *Environmental Science & Technology* 35:732-738.
- Forland EJ, Hanssen-Bauer I (2000) Increased precipitation in the Norwegian



- Arctic: True or false? *Climatic Change* 46:485-509.
- Forman SL, Lubinski D, Weihe RR (2000) The Holocene occurrence of reindeer on Franz Josef Land, Russia. *Holocene* 10:763-768.
- Fransson A, Chierici M, Anderson LC, Bussmann I, Kattner G, Jones EP, Swift JH (2001) The importance of shelf processes for the modification of chemical constituents in the waters of the Eurasian Arctic Ocean: implication for carbon fluxes. *Cont Shelf Res* 21:225-242.
- Friberg T, Christensen TR, Hansen BU, Nordstroem C, Soegaard H (2000) Trace gas exchange in a high-arctic valley 2. Landscape CH<sub>4</sub> fluxes measured and modeled using eddy correlation data. *Global Biogeochem Cycles* 14:715-723.
- Fung I (1993) Models of oceanic and terrestrial sinks of anthropogenic CO<sub>2</sub>: A review of the contemporary carbon cycle. In: Oremland RS (ed) *Biogeochemistry of Global Change: Radiatively Active Trace Gases*. Chapman & Hall, New York, 166-192.
- Galasso JL, Siegel FR, Kravitz JH (2000) Heavy metals in eight 1965 cores from the Novaya Zemlya Trough, Kara Sea, Russian Arctic. *Mar Pollut Bull* 40:839-852.
- Gavrilov AV (2001) Geocriological Mapping of Arctic Shelves. In: Roland Paepe VPM, Elfi Van Overloop, Vladimir D. Gorokhov (ed) *Permafrost Response on Economic Development, Environmental Security and National Resources*. Kluwer Academic, Dordrecht, 69-86.
- Gavrilov AV, Romanovskii NN (2001) Development of Ideas about Permafrost Distribution and Thickness on shelf of Eastern Sector of Russian Arctic. *Proceedings of the Second Conference of Russian Geocryologists, Regional and Historic Geocriology*. Moscow, 35-46 (in Russian)
- Gavrilov AV, Tumskoy VE, Romanovskii NN (2000) Reconstruction of the Mean Annual Ground Temperature Dynamic on the Yakutian Coastal Lowlands and Adjoining Shelf During the Last 420 Kyr (in Russian). *Cryosphere of Earth* 4:3-14.
- Gavrilov AV, Tumskoy VE, Romanovskii NN (2001) Method of Mean Annual Ground Temperature Reconstruction on a base of Ice Core Isotopic Data . *Proceedings of the Second Conference of Russian Geocryologists, Regional and Historic Geocriology*. Moscow, 46-53 (in Russian)
- Glud RN, Risgaard-Petersen N, Thamdrup B, Fossing H, Rysgaard S (2000) Benthic carbon mineralization in a high-Arctic sound (Young Sound, NE

- Greenland). *Marine Ecology-Progress Series* 206:59-71.
- Glushkova OY (2001) Geomorphological correlation of Late Pleistocene glacial complexes of Western and Eastern Beringia. *Quat Sci Rev* 20:405-417.
- Gobeil C, Sundby B, Macdonald RW, Smith JN (2001) Recent change in organic carbon flux to Arctic Ocean deep basins: Evidence from acid volatile sulfide, manganese and rhenium discord in sediments. *Geophys Res Lett* 28:1743-1746.
- Goetcheus VG, Birks HH (2001) Full-glacial upland tundra vegetation preserved under tephra in the Beringia National Park, Seward Peninsula, Alaska. *Quat Sci Rev* 20:135-147.
- Gomersall CE, Hinkel KM (2001) Estimating the variability of active-layer thaw depth in two physiographic regions of northern Alaska. *Geogr Anal* 33:141-155.
- Goñi MA, Yunker MB, Macdonald RW, Eglinton TI (2000) Distribution and sources of organic biomarkers in arctic sediments from the Mackenzie River and Beaufort Shelf. *Mar Chem* 71:23-51.
- Goosse H, Campin JM, Fichefet T, Deleersnijder E (1997) Sensitivity of a global ice-ocean model to the Bering Strait throughflow. *Climate Dynamics* 13:349-358.
- Gordeev VV, Martin JM, Sidorov IS, Sidorova MV (1996) A reassessment of the Eurasian River input of water, sediment, major elements, and nutrients to the Arctic Ocean. *Amer J Sci* 296:664-691.
- Gordillo S, Aitken AE (2001) Postglacial succession and palaeoecology of Late Quaternary macrofaunal assemblages from the central Canadian Arctic Archipelago. *Boreas* 30:61-72.
- Goryachenkova TA, Emel'yanov VV, Kazinskaya IE, Barsukova KV, Stepanets OV, Myasoedov BF (2000) Plutonium content in water and bottom sediments of the Kara Sea. *Radiochemistry* 42:283-287.
- Goto-Azuma K, Koerner RM (2001) Ice core studies of anthropogenic sulfate and nitrate trends in the Arctic. *Journal of Geophysical Research-Atmospheres* 106:4959-4969.
- Grigoriev MN (2000) Ice complex of Yakutian Arctic coast as a sediment source on the shelf. In: Semiletov IP (ed) *Hydroclimatology and Biochemical Research in the Arctic*. Dalnauka, Vladivostok, 109-116.

- Grogan P, Chapin FS (2000) Initial effects of experimental warming on above- and belowground components of net ecosystem CO<sub>2</sub> exchange in arctic tundra. *Oecologia* 125:512-520.
- Grumet NS, Wake CP, Mayewski PA, Zielinski GA, Whitlow SI, Koerner RM, Fisher DA, Woollett JM (2001) Variability of sea-ice extent in Baffin Bay over the last millennium. *Climatic Change* 49:129-145.
- Gruza GV, Rankova EY, Razueva V, O. B (1999) Indicators of climate change for the Russian Federation. In: Karl TR, N NN, Ghazi A (ed) *Weather and Climate Extremes: Changes, Variations and a Perspective from the Insurance Industry*. Kluwer Academic Publishers, Dordrecht, 219-242.
- Gudkovich ZM, Kovalev EG (1997) Relations between large-scale processes in atmosphere, ocean, and ice cover in the Northern Polar Region. *Trudi AANII* 437:17-29 (in Russian).
- Gunn JT, Muench RD (2001) Observed changes in Arctic Ocean temperature structure over the past half decade. *Geophys Res Lett* 28:1035-1038.
- Gustafsson O, Widerlund A, Andersson PS, Ingri J, Roos P, Ledin A (2000) Colloid dynamics and transport of major elements through a boreal river - brackish bay mixing zone. *Mar Chem* 71:1-21.
- Guthrie RD (2001) Origin and causes of the mammoth steppe: a story of cloud cover, woolly mammal tooth pits, buckles, and inside-out Beringia. *Quat Sci Rev* 20:549-574.
- Haas C, Eicken H (2001) Interannual variability of summer sea ice thickness in the Siberian and central Arctic under different atmospheric circulation regimes. *J Geophys Res-Oceans* 106:4449-4462.
- Hamilton TD (2001) Quaternary glacial, lacustrine, and fluvial interactions in the western Noatak basin, Northwest Alaska. *Quat Sci Rev* 20:371-391.
- Harms IH, Karcher MJ, Dethleff D (2000) Modelling Siberian river runoff - implications for contaminant transport in the Arctic Ocean. *J Mar Systems* 27:95-115.
- Harris JM, Dlugokencky EJ, Oltmans SJ, Tans PP, Conway TJ, Novelli PC, Thoning KW, Kahl JDW (2000) An interpretation of trace gas correlations during Barrow, Alaska, winter dark periods, 1986-1997. *Journal of Geophysical Research-Atmospheres* 105:17267-17278.
- Harriss RC, Sachse GW, Hill GF, Wade L, Bartlett KB, Collins JE, Steel P, Novelli PC (1992) Carbon monoxide and methane in the North American

- arctic and subarctic troposphere. *J Geophys Res* 97:16589-16599.
- Hayes MG (2001) Ancestor descendant relationships in North American Arctic prehistory: Ancient DNA evidence from the Aleutian Islands and the Eastern Canadian Arctic. *Am J Phys Anthropol* 78-78.
- Heiser PA, Roush JJ (2001) Pleistocene glaciations in Chukotka, Russia: moraine mapping using satellite synthetic aperture radar (SAR) imagery. *Quat Sci Rev* 20:393-404.
- Helmens KF, Rasanen ME, Johansson PW, Jungner H, Korjonen K (2000) The Last Interglacial-Glacial cycle in NE Fennoscandia: a nearly continuous record from Sokli (Finnish Lapland). *Quat Sci Rev* 19:1605-1623.
- Hilmer M, Lemke P (2000) On the decrease of Arctic sea ice volume. *Geophys Res Lett* 27:3751-3754.
- Hobbie SE, Schimel JP, Trumbore SE, Randerson JR (2000) Controls over carbon storage and turnover in high-latitude soils. *Global Change Biology* 6:196-210.
- Hodgetts L, Rahemtulla F (2001) Land and sea: Use of terrestrial mammal bones in coastal hunter-gatherer communities. *Antiquity* 75:56-62.
- Hodgson R, Young KL (2001) Preferential groundwater flow through a sorted net landscape, Arctic Canada. *Earth Surf Process Landf* 26:319-328.
- Hoffmann D, Woda C, Strobl C, Mangini A (2001) ESR-dating of the Arctic sediment core PS1535 dose-response and thermal behaviour of the CO<sub>2</sub>-signal in foraminifera. *Quat Sci Rev* 20:1009-1014.
- Hofmann M, Wolf-Gladrow DA, Takahashi T, Sutherland SC, Six KD, Maier-Reimer E (2000) Stable carbon isotope distribution of particulate organic matter in the ocean: a model study. *Mar Chem* 72:131-150.
- Hollister RD, Webber PJ (2000) Biotic validation of small open-top chambers in a tundra ecosystem. *Global Change Biology* 6:835-842.
- Holmes RM, Peterson BJ, Gordeev VV, Zhulidov AV, Meybeck M, Lammers RB, Vorosmarty CJ (2000) Flux of nutrients from Russian rivers to the Arctic Ocean: Can we establish a baseline against which to judge future changes? *Water Resour Res* 36:2309-2320.
- Hopke PK, Liu CH, Rubin DB (2001) Multiple imputation for multivariate data with missing and below-threshold measurements: Time-series concentrations of pollutants in the Arctic. *Biometrics* 57:22-33.

- Howell D, Siegert MJ, Dowdeswell JA (2000) Modelling the influence of glacial isostasy on Late Weichselian ice-sheet growth in the Barents Sea. *J Quat Sci* 15:475-486.
- Hubberten H-W, N.N. R (2001) Terrestrial and Offshore Permafrost Evolution of the Laptev Sea Region During the Last Pleistocene- Holocene Glacial-Eustatic Cycle. In: Roland Paepe VPM, Elfi Van Overloop, Vladimir D. Gorokhov (ed) *Permafrost Response on Economic Development, Environmental Security and National Resources*. Kluwer Academic Publishers, Dordrecht, 43-60.
- Hubberten H-W, N.N.. R (2001) Onshore and offshore permafrost and gas hydrate stability zone on shelf and coastal plains, Laptev Sea Region, Russia (abstract). 1st European Permafrost Conference. Rome, 112-113
- Hubberten H-W, Romanovskii NN (2000) Onshore and Offshore Permafrost of the Laptev Sea Region during the Last Pleistocene-Holocene Glacial-Eustatic Cycle. *Berichte zur Polarforschung* 67:need pages.
- Hung H, Halsall CJ, Blanchard P, Li HH, Fellin P, Stern G, Rosenberg B (2001) Are PCBs in the Canadian Arctic atmosphere declining? Evidence from 5 years of monitoring. *Environmental Science & Technology* 35:1303-1311.
- Ikeda M, Wang J, Zhao JP (2001) Hypersensitive decadal oscillations in the Arctic/subarctic climate. *Geophys Res Lett* 28:1275-1278.
- Imaev VS, Imaeva LP, Koz'min BM, Mackey K, Fujita K (1998) Seismotectonic processes along the boundary of lithospheric plates of the Northeastern Asia and Alaska. *Pacific Geology (Tikhookeanskaya Geologiya)* 17:3-17 (in Russian).
- Ivanov BV (1999) New data on sea-ice albedo in the Laptev and Barents seas. In: Kassens H. B, H., Eicken H., Hubberten H-W. and M.Melles (ed) *Land-ocean system of the Siberian Arctic*. Springer-Verlag, Berlin, Heidelberg, 59-63.
- Johansen S, Hytteborn H (2001) A contribution to the discussion of biota dispersal with drift ice and driftwood in the North Atlantic. *J Biogeogr* 28:105-115.
- Johnson MA, Polyakov IV (2001) The Laptev Sea as a source for recent Arctic Ocean salinity changes. *Geophys Res Lett* 28:2017-2020.
- Jones EP, Anderson LG, Swift JH (1998) Distribution of Atlantic and Pacific waters in the upper Arctic Ocean: Implications for circulation. *Geophys*

Res Lett 25:765-768.

- Jordan JW (2001) Late Quaternary sea level change in Southern Beringia: postglacial emergence of the Western Alaska Peninsula. *Quat Sci Rev* 20:509-523.
- Jorgensen LL, Pearson TH, Anisimova NA, Gulliksen B, Dahle S, Denisenko SG, Matishov GG (1999) Environmental influences on benthic fauna associations of the Kara Sea (Arctic Russia). *Polar Biol* 22:395-416.
- Jorgenson T, Ely C (2001) Topography and flooding of coastal ecosystems on the Yukon-Kuskokwim Delta, Alaska: Implications for sea-level rise. *J Coast Res* 17:124-136.
- Joynt EH, Wolfe AP (2001) Paleoenvironmental inference models from sediment diatom assemblages in Baffin Island lakes (Nunavut, Canada) and reconstruction of summer water temperature. *Can J Fish Aquat Sci* 58:1222-1243.
- Kane DL, Hinzman LD, McNamara JP, Zhang Z, Benson CS (2000) An overview of a nested watershed study in Arctic Alaska. *Nordic Hydrol* 31:245-266.
- Kaplyanskaya FA, Tarnogradsky VD (1986) Remnants of the Pleistocene ice sheets in the permafrost zone as an object for paleoglaciological research. *Polar Geography and Geology* 10:65-72.
- Karsten U, Bischof K, Wiencke C (2001) Photosynthetic performance of Arctic macroalgae after transplantation from deep to shallow waters. *Oecologia* 127:11-20.
- Kassens H, H.A. Buch, I. Dmitrenko, H. Eicken, H.-W. Hubberton, M. Melles, J. Thiede, L. Timokhov (1999) *Land-Ocean Systems in the Siberian Arctic: Dynamics and History*. Springer-Verlag, Berlin
- Kassens H, Bauch H, Drachev S (2000) The TRANSDRIFT VIII expedition to the Laptev Sea: the shelf drilling campaign of "Laptev Sea System 2000". *Terra Nostra*, 2000/8, Abstracts of Sixth Workshop on Russian-German Cooperation: Laptev Sea System at S Petersburg, Russia, 39-40.
- Kaufman DS, Manley WF, Forman SL, Layer PW (2001) Pre-Late-Wisconsin glacial history, coastal Ahklun Mountains, southwestern Alaska - new amino acid, thermoluminescence, and  $^{40}\text{Ar}/^{39}\text{Ar}$  results. *Quat Sci Rev* 20:337-352.
- Khim B-K, Krantz DE, Brigham-Grette J (2001) Stable isotope profiles of Last Interglacial (Pelukian Transgression) mollusks and paleoclimate

- implications in the Bering Strait Region. *Quat Sci Rev* 20:463-483.
- Kholodov AL, Gavrilov AV, Romanovskii N (2001) Distribution, Thickness and State of Cryolithozone of Laptev Sea Shelf. *Proceedings of the Second Conference of Russian Geocryologists Vol3, Regional and Historic Geocriology*. Moscow, 236-242 (in Russian)
- Kholodov AL, Gavrilov AV, Romanovskii N, Hubberten H-W (2000) Results of Modeling of Permafrost Dynamic on the Arctic Shelf and Coastal Lowlands in the Laptev Sea Region During the Last 400 Kyr. *Cryosphere of Earth* 4:32-40 (in Russian).
- Kittel TGF, Steffen WL, Chapin FS (2000) Global and regional modelling of Arctic-boreal vegetation distribution and its sensitivity to altered forcing. *Global Change Biology* 6:1-18.
- Kling GW, Kipphut GW, Miller MC (1992) The flux of CO<sub>2</sub> and CH<sub>4</sub> from lakes and rivers in arctic Alaska. *Hydrobiologia* 240:23-36.
- Kodera K, Kuroda Y (2000) Tropospheric and stratospheric aspects of the Arctic Oscillation. *Geophys Res Lett* 27:3349-3352.
- Krapivin VF, Phillips GW (2001) Application of a global model to the study of Arctic basin pollution: radionuclides, heavy metals and oil hydrocarbons. *Environ Modell Softw* 16:1-17.
- Kroncke I, Vanreusel A, Vincx M, Wollenburg J, Mackensen A, Liebezeit G, Behrends B (2000) Different benthic size-compartments and their relationship to sediment chemistry in the deep Eurasian Arctic Ocean. *Marine Ecology-Progress Series* 199:31-41.
- Krzyscin JW, Sobolewski PS (2001) The surface UV-B irradiation in the Arctic: observations at the Polish polar station, Hornsund (77 degrees N, 15 degrees E), 1996-1997. *J Atmos Sol-Terr Phys* 63:321-329.
- Kudo A, Zheng J, Yamada R, Tao G, Sasaki T, Sugahara M (2000) Global transport rates and future prediction of hazardous materials: Pu and Cs from Nagasaki to Canadian Arctic. *Water Sci Technol* 42:163-169.
- Kuptsov VM, Lisitsin AM (1996) Radiocarbon of Quaternary along shore and bottom deposits of the Lena and the Laptev's Sea sediments. *Mar Chem* 53:301-311.
- Kuznetsov FA (2000) Gas hydrates of Siberia. In: Holder G, Bishnoi PR (ed) *Gas Hydrates: Challenges for the Future*. New York Academy of Sciences, New York, 101-111.

- Kuznetsov LL, Volkovskaya LE (1995) Fluxes of nutrients between benthic and planktic communities in the coastal zone of the Barents Sea. *Oceanology* 34:510-514.
- Lammers RB, Shiklomanov AI, Vorosmarty CJ, Fekete BM, Peterson BJ (2001) Assessment of contemporary Arctic river runoff based on observational discharge records. *Journal of Geophysical Research-Atmospheres* 106:3321-3334.
- Lamoureux SF, England JH (2000) Late Wisconsinan glaciation of the central sector of the Canadian High Arctic. *Quat Res* 54:182-188.
- Lamoureux SF, England JH, Sharp MJ, Bush ABG (2001) A varve record of increased 'Little Ice Age' rainfall associated with volcanic activity, Arctic Archipelago, Canada. *Holocene* 11:243-249.
- Lee SY, Holder GD (2001) Methane hydrates potential as a future energy source. *Fuel Process Technol* 71:181-186.
- Legezynska J, Weslawski JM, Presler P (2000) Benthic scavengers collected by baited traps in the high Arctic. *Polar Biol* 23:539-544.
- Lemke P, Harder M, Hilmer M (2000) The response of arctic sea ice to global change. *Climatic Change* 46:277-287.
- Levac E, De Vernal A, Blake W (2001) Sea-surface conditions in northernmost Baffin Bay during the Holocene: palynological evidence. *J Quat Sci* 16:353-363.
- Levinsen H, Turner JT, Nielsen TG, Hansen BW (2000) On the trophic coupling between protists and copepods in arctic marine ecosystems. *Marine Ecology-Progress Series* 204:65-77.
- Lim DSS, Douglas MSV, Smol JP, Lean DRS (2001) Physical and chemical limnological characteristics of 38 lakes and ponds on Bathurst Island, Nunavut, Canadian High Arctic. *Int Rev Hydrobiol* 86:1-22.
- Lischka S, Knickmeier K, Hagen W (2001) Mesozooplankton assemblages in the shallow Arctic Laptev Sea in summer 1993 and autumn 1995. *Polar Biol* 24:186-199.
- Lloyd CR (2001) The measurement and modelling of the carbon dioxide exchange at a high Arctic site in Svalbard. *Global Change Biology* 7:405-426.



- Lobbes JM, Fitznar HP, Kattner G (2000) Biogeochemical characteristics of dissolved and particulate organic matter in Russian rivers entering the Arctic Ocean. *Geochim Cosmochim* 64:2973-2983.
- Lozhkin AV, Anderson PM, Vartanyan SL, Brown TA, Belaya BV, Kotov AN (2001) Late Quaternary paleoenvironments and modern pollen data from Wrangel Island (Northern Chukotka). *Quat Sci Rev* 20:217-233.
- Luchin VA (2000) Thermohaline structure and water masses in the Bering Sea. In: Loughlin TR, Ohtani K (ed) *Dynamics of the Bering Sea*. Alaska Sea Grant College Program, Fairbanks AK, 61-69.
- Lystsov VN, Murzin NV (2001) A strategy for the assessment of continuous and pulsed contaminants in river and estuary ecosystems in the Arctic. *Chemosphere* 42:73-78.
- MacDonald GM, Kremenetski, Velichko AA, Cwynar LC, Riding RT, Golieva A, Reev AA, Borisova OK, Edwards TWD, Hammarland D, Szeicz JM, Forman SL, Gataullin V (2000) Holocene tree line history and climate change across northern Eurasia. *Quaternary Research* 53:302-311.
- Macdonald RW, Thomas DJ (1991) Chemical interactions and sediments of the western Canadian Arctic Shelf. *Cont Shelf Res* 11(8-10):843-863.
- Mackay JR (2000) Thermally induced movements in ice-wedge polygons, western Arctic coast: A long-term study. *Geographie Physique Et Quaternaire* 54:41-68.
- Makinen H, Nojd P, Mielikainen K (2000) Climatic signal in annual growth variation of Norway spruce (*Picea abies*) along a transect from central Finland to the Arctic timberline. *Can J Forest Res* 30:769-777.
- Makkaveev PN (1994) The dissolved inorganic carbon in the Kara Sea and in the mouths of the Ob and Yenisei Rivers. *Oceanology* 34:668-672.
- Mandryk CAS, Josenhans H, Fedje DW, Mathewes RW (2001) Late Quaternary paleoenvironments fo Northwestern North America: implications for inland versus coastal migration routes. *Quat Sci Rev* 20:301-314.
- Mandryk CAS, Josenhans H, Fedje DW, Mathewes RW (2001) Late Quaternary paleoenvironments of Northwestern North America: implications for inland versus coastal migration routes. *Quat Sci Rev* 20:301-314.
- Marincovich LJ, Gladenkov AY (2001) New evidence for the age of Bering Strait. *Quat Sci Rev* 20:329-335.

- Markova AK (1995) Late Pleistocene distribution and diversity of mammals in Northern Eurasia (Palaeofauna database). *Paleontologia and Ecolucio* 28-29:1-143.
- Marsella KA, Bierman PR, Davis PT, Caffee MW (2000) Cosmogenic Be-10 and Al-26 ages for the Last Glacial Maximum, eastern Baffin Island, Arctic Canada. *Bull Geol Soc Amer* 112:1296-1312.
- Maslowski W, Newton B, Schlosser P, Semtner A, Martinson D (2000) Modeling recent climate variability in the Arctic Ocean. *Geophys Res Lett* 27:3743-3746.
- Mason OK, Bowers PM, Hopkins DM (2001) The early Holocene Milankovitch thermal maximum and humans: adverse conditions for the Denali complex of eastern Beringia. *Quat Sci Rev* 20:525-548.
- Matishov GG, Denisenko SG (1996) Modern state of the bottom fauna in the Chenaya Bay (Novaya Zemlya Archipelago). *Doklady Akademii Nauk* 346:284-286.
- McDowell PF, Edwards ME (2001) Evidence of Quaternary climatic variations in a sequence of loess and related deposits at Birch Creek, Alaska: implications for the Stage 5 climatic chronology. *Quat Sci Rev* 20:63-76.
- McGuire AD, Clein JS, Melillo JM, Kicklighter DW, Meier RA, Vorosmarty CJ, Serreze MC (2000) Modelling carbon responses of tundra ecosystems to historical and projected climate: sensitivity of pan-Arctic carbon storage to temporal and spatial variation in climate. *Global Change Biology* 6:141-159.
- Melnikov IA (2000) The Arctic Sea Ice Ecosystems and Global Warming. Report of the Marine Mammal Commission Workshop. Girdwood, AK, 72-82
- Melnikov IA, Sherr BF, Wheeler P, Welch HE (1998) Preliminary biological and chemical oceanographic evidence for a long-term warming trend in Arctic Ocean (current materials of the SHEBA Ice Camp, Beaufort Sea). Proceedings of the Arctic Change Workshop. Seattle, Univ. of Washington, 60
- Melnikov IA, Zhitina LS, Kolosova HS (2001) The Arctic sea ice biological communities in recent environmental changes. *Mem Natl Inst Polar Res* 54:1-9.
- Melnikov IA, Zhitina LS, Kolosova HS, Shanin SS, Khlebopashev PV (2001) Water-ice interactions in the coastal zone of the White Sea. (in press).

- Melnikov IA, Zhitina LS, Kolosova LG (2000) Reaction of marine ecosystems on the global changes in the Arctic: upper ocean. Proceedings of the Arctic Regional Center. 68-80
- Members CP (2001) Holocene paleoclimate data from the Arctic: testing models of global climate change. *Quat Sci Rev* 20:1275-1287.
- Meredith M, Heywood K, Dennis P, Goldson L, White R, Fahrbach E, Schauer U, Osterhus S (2001) Freshwater fluxes through the western Fram Strait. *Geophys Res Lett* 28:1615-1618.
- Mertens S, Nijs I, Heuer M, Kockelbergh F, Beyens L, Van Kerckvoorde A, Impens I (2001) Influence of high temperature on end-of-season tundra CO<sub>2</sub> exchange. *Ecosystems* 4:226-236.
- Michelutti N, Hay MB, Marsh P, Lesack L, Smol JP (2001) Diatom changes in Lake Sediments from the Mackenzie Delta, NWT, Canada: Paleohydrological applications. *Arct Antarct Alp Res* 33:1-12.
- Michelutti N, Laing TE, Smol JP (2001) Diatom assessment of past environmental changes in lakes located near the Noril'sk (Siberia) smelters. *Water Air Soil Pollut* 125:231-241.
- Miller LA, M. C, T. J, T.T. N, F. R, I.Skjelvan (1999) Seasonal dissolved inorganic carbon variations in the Greenland Sea and implications for atmospheric CO<sub>2</sub> exchange. *Deep-Sea Research II* 43:1473-1496.
- Mock T, Gradinger R (2000) Changes in photosynthetic carbon allocation in algal assemblages of Arctic sea ice with decreasing nutrient concentrations and irradiance. *Marine Ecology-Progress Series* 202:1-11.
- Mokhov II, Khon VC (2000) Diagnostics and modeling of changes of hydrological cycle in the siberian rivers basins during XX and XXI centuries. In: (ed) Ecology of poimas of Siberian rivers and Arctic. STT, Tomsk, 8-16.
- Moller EF, Nielsen TG (2000) Plankton community structure and carbon cycling off the western coast of Greenland, with emphasis on sources of DOM for the bacterial community. *Aquat Microb Ecol* 22:13-25.
- Moore JJ, Huguen KA, Miller GH, Overpeck JT (2001) Little Ice Age recorded in summer temperature reconstruction from varved sediments of Donard Lake, Baffin Island, Canada. *Journal of Paleolimnology* 25:503-517.
- Moorman BJ, Michel FA (2000) The burial of ice in the proglacial environment on Bylot Island, Arctic Canada. *Permafrost Periglacial Process* 11:161-175.

- Muench RD, Gunn JT, Whitley TE, Schlosser P, Smethie W (2000) An Arctic Ocean cold core eddy. *J Geophys Res-Oceans* 105:23997-24006.
- Muhs DR, Ager TA, Beget JE (2001) Vegetation and paleoclimate of the last interglacial period, central Alaska. *Quat Sci Rev* 20:41-61.
- Münchow A, Weingartner TJ, Cooper LW (1999) The summer hydrography and surface circulation of the East Siberian shelf Sea. *J Phys Oceanogr* 29:2167-2182.
- Munroe JS, Bockheim JG (2001) Soil development in low-arctic tundra of the northern Brooks Range, Alaska, USA. *Arct Antarct Alp Res* 33:78-87.
- Murton JB (2001) Thermokarst sediments and sedimentary structures, Tuktoyaktuk Coastlands, western Arctic Canada. *Glob Planet Change* 28:175-192.
- Naidu AS, Cooper LW, Finney BP, Macdonald RW, Alexander C, Semiletov IP (2000) Organic carbon isotope ratios ( $\delta^{13}\text{C}$ ) of Arctic Amerasian continental shelf sediments. *International Journal of Earth Sciences* 89:522-533.
- Novikov GG, Politov DV, Makhrov AA, Malinina TV, Afanasiev KI, Fernholm B (2000) Freshwater and estuarine fishes of the Russian Arctic coast (the Swedish-Russian Expedition 'Tundra Ecology-94'). *Journal of Fish Biology* 57:158-162.
- Oechel WC, Vourlitis GL, Hastings SJ, Zulueta RC, Hinzman L, Kane D (2000) Acclimation of ecosystem  $\text{CO}_2$  exchange in the Alaskan Arctic in response to decadal climate warming. *Nature* 406:978-981.
- Oechel WC, Vourlitis GL, Verfaillie J, Crawford T, Brooks S, Dumas E, Hope A, Stow D, Boynton B, Nosov V, Zulueta R (2000) A scaling approach for quantifying the net  $\text{CO}_2$  flux of the Kuparuk River Basin, Alaska. *Global Change Biology* 6:160-173.
- Oksanen PO, Kuhry P, Alekseeva RN (2001) Holocene development of the Rogovaya River peat plateau, European Russian Arctic. *Holocene* 11:25-40.
- Olsson K, Anderson LG (1997) Input and biogeochemical transformation of dissolved carbon in the Siberian shelf seas. *Cont Shelf Res* 17:819-833.
- Opsahl S, Benner R, Ammon RMW (1999) Major flux of terrigenous dissolved organic matter through the Arctic Ocean. *Limnol Oceanogr* 44:2017-2023.

- Oswood MW, Reynolds JB, Irons JG, Milner AM (2000) Distributions of freshwater fishes in ecoregions and hydroregions of Alaska. *J N Am Benthol Soc* 19:405-418.
- Paramonova NN (2001) Carbon dioxide and methane monitoring in Russia. *News of Russian Academy of Science, Atmospheric and Ocean Physics* 37:38-43.
- Pavlov VK, Stanovoy VV (2001) The problem of transfer of radionuclide pollution by sea ice. *Mar Pollut Bull* 42:319-323.
- Pfirman SL, Colony R, Nurnberg D, Eicken H, Rigor I (1997) Reconstructing the origin and trajectory of drifting Arctic sea ice. *J Geophys Res* 102 (C6):12575-12586.
- Phillips RL, Grantz A (2001) Regional variations in provenance and abundance of ice-rafted clasts in Arctic Ocean sediments: implications for the configuration of late Quaternary oceanic and atmospheric circulation in the Arctic. *Mar Geol* 172:91-115.
- Phoenix GK, Gwynn-Jones D, Callaghan TV, Sleep D, Lee JA (2001) Effects of global change on a sub-Arctic heath: effects of enhanced UV-B radiation and increased summer precipitation. *J Ecol* 89:256-267.
- Piccoli RF, Roensch FR, Dasher DH, Read S, Hameedi MJ, Efurud DW (2000) Determination of actinide levels in Arctic river sediments. *Abstr Pap Am Chem Soc* 219:175-ENVR.
- Pisaric MFJ, MacDonald GM, Velichko AA, Cwynar LC (2001) The Lateglacial and Postglacial vegetation history of the northwestern limits of Beringia, based on pollen, stomate and tree stump evidence. *Quat Sci Rev* 20:235-245.
- Pitul'ko V (2001) Terminal Pleistocene - Early Holocene occupation in northeast Asia and the Zhokhov assemblage. *Quat Sci Rev* 20:267-275.
- Pitul'ko VV (1993) An early Holocene site in the Siberian High Arctic. *Arctic Anthropology* 30:13-21.
- Pitul'ko VV (1999) Ancient humans in Eurasian arctic ecosystems: Environmental dynamics and changing subsistence. *World Archaeology* 30:421-436.
- Pitul'ko VV, A.K K (1996) Ancient Arctic Hunters: material culture and survival strategy. *Arctic Anthropology* 33:1-33.
- Plotnikov VV, Yakunin LP (1999) Ice conditions of the Bering Sea and their

- prediction. In: (ed) Hydrometeorology and Hydrochemistry of the Seas. 246-279.
- Polyak L, Edwards MH, Coakley BJ, Jakobsson M (2001) Ice shelves in the Pleistocene Arctic Ocean inferred from glaciogenic deep-sea bedforms. *Nature* 410:453-457.
- Polyak L, Forman SL, Herlihy FA, Ivanov G, Krinitsky P (1997) Late Weichselian deglacial history of the Svyataya (Saint) Anna Trough, northern Kara Sea, Arctic Russia. *Mar Geol* 143:169-188.
- Polyak L, Levitan M, Gataullin V, Khusid T, Mikhailov V, Mukhina V (2000) The impact of glaciation, river-discharge and sea-level change on Late Quaternary environments in the southwestern Kara Sea. *International Journal of Earth Sciences* 89:550-562.
- Proshutinsky A, Pavlov V, Bourke RH (2001) Sea level rise in the Arctic Ocean. *Geophys Res Lett* 28:2237-2240.
- Proshutinsky AY, Johnson MA (1997) Two circulation regimes of the wind-driven Arctic Ocean. *J Geophys Res* 102 (C6):12,493-412,514.
- Puhakainen M, Riekkinen I, Heikkinen T, Jaakkola T, Steinnes E, Rissanen K, Suomela M, Thorring H (2001) Effect of chemical pollution on forms of Cs-137, Sr-90 and Pu-239, Pu-240 in Arctic soil studied by sequential extraction. *J environ Radioact* 52:17-29.
- Rachold V (1999) Russian-German Cooperation SYSTEM LAPTEV SEA 2000: The Lena Delta 1998 Expedition. *Berichte zur Polarforschung* 315:
- Rachold V (2000) Russian-German Cooperation SYSTEM LAPTEV SEA 2000: The Expedition Lena 1999. *Berichte zur Polarforschung* 354:
- Rachold V, Grigoriev MN, Are FE, Solomon S, Reimnitz E, Kassens H, Antonow M (2000) Coastal erosion vs riverine sediment discharge in the Arctic Shelf seas. *International Journal of Earth Sciences* 89:450-460.
- Ragner CL (2000) The Northern Sea Route - Commercial potential, economic significance, and infrastructure requirements. *Post-Sov Geogr Econ* 41:541-580.
- Reason CJC, Power SB (1994) The influence of the Bering Strait on the circulation in a coarse resolution global model. *Climate Dynamics* 9:363-369.
- Reimann C, Kashulina G, de Caritat P, Niskavaara H (2001) Multi-element, multi-

- medium regional geochemistry in the European Arctic: element concentration, variation and correlation. *Appl Geochem* 16:759-780.
- Repenning CA (2001) Beringian climate during intercontinental dispersal: a mouse eye view. *Quat Sci Rev* 20:25-40.
- Rogers AN, Bromwich DH, Sinclair EN, Cullather RI (2001) The atmospheric hydrologic cycle over the Arctic Basin from reanalyses. Part II: Interannual variability. *Journal of Climate* 14:2414-2429.
- Romankevich EA, Vetrov AA, Vinogradov ME, Vedernikov VI (2000) Carbon cycling components in the Arctic seas of Russia: Carbon fluxes from land, carbon in the bottom sediments, elements of balance. *Oceanology* 40:335-344.
- Romanovskii NN, Gavrilov AV, Kholodov AL, Hubberten H-W, Kassens H (1997) Reconstruction of paleogeographic conditions on the Laptev Sea shelf for late Pleistocene-Holocene glacioeustatical cycle. *Cryosphere of Earth (Kriosfera Zemli)* 1:42-49 (in Russian).
- Romanovskii NN, Gavrilov AV, Kholodov AL, Pustovoit GP, Niessen F, Kassens H, Hubberten H-W (1998) Map of predicted offshore permafrost distribution on the Laptev Sea shelf. 7th International Conference on Permafrost. Yellowknife, 967-972
- Romanovskii NN, Gavrilov AV, Pustovoit GP, Kholodov AL, H. Kassens, Hubberten H-W, Niessen F (1997) Off-Shore Permafrost Distribution on the Laptev Sea Shelf. *Cryosphere of Earth* 1:42-49 (in Russian).
- Romanovskii NN, Gavrilov AV, Tumskoy VE, Kholodov AL, Siegert C, Hubberten H-W, Sher AV (2000) Environmental Evolution in the Laptev Sea Region During Late Pleistocene and Holocene. *Berichte zur Polarforschung* 67:
- Romanovskii NN, Hubberten H-W (2001) Results of Permafrost Modeling of the Lowlands and Shelf of the Laptev Sea Region, Russia. *Permafrost Periglacial Process* 12:191-202.
- Romanovskii NN, Hubberten H-W, Kholodov AL, Tipenko GS (2001) Offshore Permafrost State On The Shelves of Eastern Sector of Russian Arctic Seas. *Cryosphere of Earth* 5:3-14 (in Russian).
- Rouse WR (2000) The energy and water balance of high-latitude wetlands: controls and extrapolation. *Global Change Biology* 6:59-68.
- Rudels B, Meyer R, Fahrbach E, Ivanov VV, Osterhus S, Quadfasel D, Schauer U, Tverberg V, Woodgate RA (2000) Water mass distribution in Fram

- Strait and over the Yermak Plateau in summer 1997. *Ann Geophys-Atmos Hydrospheres Space Sci* 18:687-705.
- Rustad LE, Campbell JL, Marion GM, Norby RJ, Mitchell MJ, Hartley AE, Cornelissen JHC, Gurevitch J (2001) A meta-analysis of the response of soil respiration, net nitrogen mineralization, and aboveground plant growth to experimental ecosystem warming. *Oecologia* 126:543-562.
- Salmenkova EA, Omelchenko VT, Kolesnikov AA, Malinina TV (2000) Genetic differentiation of charrs in the Russian north and far east. *Journal of Fish Biology* 57:136-157.
- Sauer PE, Miller GH, Overpeck JT (2001) Oxygen isotope ratios of organic matter in arctic lakes as a paleoclimate proxy: field and laboratory investigations. *Journal of Paleolimnology* 25:43-64.
- Savelieva NI, Semiletov IP, Vasilevskaya LN, S.P.Pugach (2000) A climate shift in seasonal values of meteorological and hydrological parameters for Noretheastern Asia. *Progress in Oceanography* 47:279-297.
- Savvichev AS, Rusanov, II, Mitskevich IN, Bairamov IT, Lein AY, Lisitsyn AP (2000) Specific features of the biogeochemical carbon circulation in water column, bottom sediments, ice sheet, and snow cover in the central Arctic region. *Dokl Earth Sci* 374:1129-1132.
- Schubert CJ, Calvert SE (2001) Nitrogen and carbon isotopic composition of marine and terrestrial organic matter in Arctic Ocean sediments: implications for nutrient utilization and organic matter composition. *Deep-Sea Res Part I-Oceanogr Res Pap* 48:789-810.
- Schubert CJ, Stein R, Calvert SE (2001) Tracking nutrient and productivity variations over the last deglaciation in the Arctic Ocean. *Paleoceanogr* 16:199-211.
- Schubert M, Perlwitz J, Blender R, Fraedrich K, Lunkeit F (1998) North Atlantic cyclones in CO<sub>2</sub>-induced warm climate simulations: frequency, intensity, and tracks. *Climate Dynamics* 14:827-837.
- Sejr MK, Jensen KT, Rysgaard S (2000) Macrozoobenthic community structure in a high-arctic East Greenland fjord. *Polar Biol* 23:792-801.
- Semiletov IP (1999) On aquatic sources and sinks of CO<sub>2</sub> and CH<sub>4</sub> in the Polar Regions. *Journal of Atmospheric Sciences* 56:286-306.
- Semiletov IP (1999) Destruction of the coastal permafrost ground as an important factor in biogeochemistry of the Arctic shelf waters. *Transactions*



(Doklady) of the Russian Academy of Sciences 369:1140-1143.

Semiletov IP, Pipko II, Pivovarov NY, Popov VV, Zimov SA, Voropaev YV, Daviodov SP (1996) Atmospheric carbon emission from North Asian Lakes: a factor of global significance. *Atmospheric Environment* 30:1657-1671.

Semiletov IP, Pivovarov NY, Pipko II, Gukov AY, Volkova TI, Sharp JP, Shcherbakov YS, Fedorov KP (1996) Dynamics of dissolved CH<sub>4</sub> and CO<sub>2</sub> in the Lena River Delta and Laptevs Sea. *Transactions (Doklady) of the Russian Academy of Sciences* 350:401-404.

Semiletov IP, Savelieva NI, Weller GE, Pipko II, Pugach SP, Gukov AY, Vasilevskaya LN (2000) The Dispersion of Siberian River Flows into Coastal Waters: Meteorological, Hydrological and Hydrochemical Aspects. In: Lewis EL (ed) *The Freshwater Budget of the Arctic Ocean*. Kluwer Academic Publishers, Dordrecht, 323-366.

Semiletov IP, Tishchenko PY, Christensen JP, Pipko II, Pugach SP (1999) On the carbonate system in the Chukchi Sea. *Transactions (Doklady) of the Russian Academy of Sciences* 364 (3):382-386.

Senkowsky S (2001) Arctic research, frozen Tundra: Many challenges lie ahead. *Bioscience* 51:178-178.

Serreze MC, Maslanik JA (1997) Arctic precipitation as represented in the NCEP/NCAR reanalysis. *Annals of Glaciology* 25:429-433.

Shaver GR, Canadell J, Chapin FS, Gurevitch J, Harte J, Henry G, Ineson P, Jonasson S, Melillo J, Pitelka L, Rustad L (2000) Global warming and terrestrial ecosystems: A conceptual framework for analysis. *Bioscience* 50:871-882.

Siegel FR, Galasso JJ, Kravitz JH (2001) Geochemistry of thirteen Voronin Trough cores, Kara Sea, European Arctic: Hg and As contaminants at a 1965 timeline. *Appl Geochem* 16:19-34.

Siegel FR, Kravitz JH, Galasso JJ (2001) Arsenic and mercury contamination in 31 cores taken in 1965, St. Anna Trough, Kara Sea, Arctic Ocean. *Environ Geol* 40:528-542.

Sirinawin W, Turner DR, Westerlund S (2000) Chromium(VI) distributions in the Arctic and the Atlantic Oceans and a reassessment of the oceanic Cr cycle. *Mar Chem* 71:265-282.

Smith LC (2000) Trends in Russian Arctic river-ice formation and breakup, 1917

- to 1994. *Phys Geogr* 21:46-56.
- Snyder JA, Macdonald GM, Forman SL, Tarasov GA, Mode WN (2000) Postglacial climate and vegetation history, north-central Kola Peninsula, Russia: pollen and diatom records from Lake Yarnyshnoe-3. *Boreas* 29:261-271.
- Soegaard H, Nordstroem C, Friberg T, Hansen BU, Christensen TR, Bay C (2000) Trace gas exchange in a high-arctic valley 3. Integrating and scaling CO<sub>2</sub> fluxes from canopy to landscape using flux data, footprint modeling, and remote sensing. *Global Biogeochem Cycles* 14:725-744.
- Sommerfeld RA, Mosier AR, Musselman RC (1993) CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O flux through a Wyoming snowpack and implications for global budgets. *Nature* 361:140-142.
- Spielhagen R (2001) Glaciology - Enigmatic Arctic ice sheets. *Nature* 410:427-428.
- Steele M, Morley R, Ermold W (2001) PHC: A global ocean hydrography with a high-quality Arctic Ocean. *Journal of Climate* 14:2079-2087.
- Stein R, Fahl K (2000) Holocene accumulation of organic carbon at the Laptev Sea continental margin (Arctic Ocean): sources, pathways, and sinks. *Geo-Marine Letters* 20:27-36.
- Stokes T (2001) Arctic changes. *Trends Plant Sci* 6:190-190.
- Sturm M, McFadden JP, Liston GE, Chapin FS, Racine CH, Holmgren J (2001) Snow-shrub interactions in Arctic tundra: A hypothesis with climatic implications. *Journal of Climate* 14:336-344.
- Sturm M, Racine C, Tape K (2001) Climate change - Increasing shrub abundance in the Arctic. *Nature* 411:546-547.
- Szeicz JM, MacDonald GM (2001) Montane climate and vegetation dynamics in easternmost Beringia during the Late Quaternary. *Quat Sci Rev* 20:247-257.
- Tumskoy VE, Romanovskii NN, Tipenko GS (2001) Formation of taliks below thermokarst lakes on north east of Yakutia: Results of modeling. Second Conference of Russian Geocryologists. Moscow, 293-300 (in Russian)
- Tumskoy VE, Romanovskii NN, Tipenko GS (2001) Results of modeling ice-complex thawing below thermokarst lakes on north east of Yakutia. Second Conference of Russian Geocryologists. Moscow, 300-307 (in

Russian)

- Ukrainitseva VV (1993) Vegetation cover and environment of the "mammoth epoch" in Siberia. Hot Springs (Mammoth Site of Hot Springs, South Dakota) pp 309; need more bibliographical information on this reference.
- Vanreusel A, Clough L, Jacobsen K, Ambrose W, Jivaluk J, Ryheul V, Herman R, Vincx M (2000) Meiobenthos of the central Arctic Ocean with special emphasis on the nematode community structure. Deep-Sea Res Part I-Oceanogr Res Pap 47:1855-1879.
- Vanshtein BG, Cherkashev GF, Goncharov GN, Piven PI (2000) Geochemical characteristic of ground layered ice as an indicator of cyclicity in the process of sea-land interaction. Pushichino, Abstracts, May 15-19,2000. Moscow, need more information, 21
- Vartanyan SL, Arslanov K, Tertyachnaya TV, Chernov SB (1995) Radiocarbon dating evidence for mammoths on Wrangel Island, Arctic Ocean, until 2000 B.C. Radiocarbon 37:1-6.
- Vartanyan SL, Garutt VE, Sher AV (1993) Holocene dwarf mammoths from Wrangel Island in the Siberian Arctic. Nature 362:337-340.
- Venegas SA, Mysak LA (2000) Is there a dominant timescale of natural climate variability in the Arctic? Journal of Climate 13:3412-3434.
- Vinogradov ME, Vedernikov VI, Romankevich EA, Vetrov AA (2000) Components of the carbon cycle in the Russian Arctic Seas: Primary production and flux of C-org from the photic layer. Oceanology 40:204-215.
- Walker DA, Bockheim JG, Chapin FS, Eugster W, Nelson FE, Ping CL (2001) Calcium-rich tundra, wildlife, and the "Mammoth Steppe". Quat Sci Rev 20:149-163.
- Walsh JE (2000) Global atmospheric circulation patterns and relationships to Arctic freshwater fluxes. In: Lewis EL (ed) The Freshwater Budget of the Arctic Ocean. Kluwer Academic Publishers, Dordrecht, 21-41.
- Wang LL, Payette S, Begin Y (2001) 1300-year tree-ring width and density series based on living, dead and subfossil black spruce at tree-line in Subarctic Quebec, Canada. Holocene 11:333-341.
- Weatherly JW, Zhang Y (2001) The response of the polar regions to increased CO<sub>2</sub> in a global climate model with elastic-viscous-plastic sea ice. Journal of Climate 14:268-283.

- Weckstrom J, Korhola A (2001) Patterns in the distribution, composition and diversity of diatom assemblages in relation to ecoclimatic factors in Arctic Lapland. *J Biogeogr* 28:31-45.
- Weider LJ, Hobaek A (2000) Phylogeography and arctic biodiversity: a review. *Ann Zool Fenn* 37:217-231.
- Weingartner TJ, Danielson S, Sasaki Y, Pavlov V, Kulakov M (1999) The Siberian Coastal Current: A wind-and buoyancy-forced arctic coastal current. *J Geophys Res* 104:29697-29713.
- Werner I (2000) Faecal pellet production by Arctic under-ice amphipods - transfer of organic matter through the ice/water interface. *Hydrobiologia* 426:89-96.
- Wheeler PA, Gosselin M, Sherr E, Thibault D, Kirchman DL, Benner R, Whitley TE (1996) Active cycling of organic carbon in the central Arctic ocean. *Nature* 380:697-699.
- Winsor P (2001) Arctic sea ice thickness remained constant during the 1990s. *Geophys Res Lett* 28:1039-1041.
- Wollenburg JE, Kuhnt W (2000) The response of benthic foraminifers to carbon flux and primary production in the Arctic Ocean. *Marine Micropaleontology* 40:189-231.
- Wollenburg JE, Kuhnt W, Mackensen A (2001) Changes in Arctic Ocean paleoproductivity and hydrography during the last 145 kyr: The benthic foraminiferal record. *Paleoceanogr* 16:65-77.
- Wollenburg JE, Mackensen A (1998) On the vertical distribution of living (Rose Bengal stained) benthic foraminifers in the Arctic Ocean. *J Foraminifer Res* 28:268-285.
- Wollheim WM, Peterson BJ, Deegan LA, Hobbie JE, Hooker B, Bowden WB, Edwardson KJ, Arscott DB, Hershey AE (2001) Influence of stream size on ammonium and suspended particulate nitrogen processing. *Limnol Oceanogr* 46:1-13.
- Wong CS, Chan Y-H, Page JS, Bellegay RD (1984) Trends of atmospheric CO<sub>2</sub> over Canadian WMO background station P, Sable Island, and Alert. *J Geophys Res* 89:9527-9539.
- Woodgate RA, Aagaard K, Muench RD, Gunn J, Bjork G, Rudels B, Roach AT, Schauer U (2001) The Arctic Ocean boundary current along the Eurasian slope and the adjacent Lomonosov Ridge: Water mass properties,

- transports and transformations from moored instruments. *Deep-Sea Res Part I-Oceanogr Res Pap* 48:1757-1792.
- Wu BY, Huang RH, Gao DY (2001) Arctic sea ice bordering on the North Atlantic and interannual climate variations. *Chin Sci Bull* 46:162-165.
- Wu WL, Lynch AH (2000) Response of the seasonal carbon cycle in high latitudes to climate anomalies. *Journal of Geophysical Research-Atmospheres* 105:22897-22908.
- Yesner DR (2001) Human dispersal into interior Alaska: antecedent conditions, mode of colonization, and adaptations. *Quat Sci Rev* 20:315-327.
- Young KL, Woo MK (2000) Hydrological response of a patchy high Arctic wetland. *Nordic Hydrol* 31:317-338.
- Yurtsev BA (2001) The Pleistocene "Tundra-Steppe" and the productivity paradox: the landscape approach. *Quat Sci Rev* 20:165-174.
- Zagorodnov VS, Arhipov S (1990) Studies of structure, composition and temperature regime of sheet glaciers of Svalbard and Severnaya Zemlya: methods and outcomes. *Bull Of Glacier Research* 8:19-28.
- Zakharov VF (1996) Sea ice in the climatic system. *Hydrometeoizdat (Sankt-Petersburg)* 213:(in Russian).
- Zamolodchikov DG, Karelin DV (2000) The carbon cycle in the ecosystems of thermal springs in the Chukchi Peninsula as a natural model of warming. *Russ J Ecol* 31:386-392.
- Zamolodchikov DG, V KD, Ivanchenko AI Sensitivity of tundra carbon balance to ambient temperature. *Water, Air, and Soil Pollution* 119:157-169.
- Zeeberg J, Forman SL (2001) Changes in glacier extent on north Novaya Zemlya in the twentieth century. *Holocene* 11:161-175.
- Zhang J, Rothrock DA, Steele M (1998) Warming of the Arctic Ocean by a strengthened Atlantic inflow: Model results. *Geophys Res Lett* 25:1745-1748.
- Zhang JL, Rothrock D, Steele M (2000) Recent changes in Arctic sea ice: The interplay between ice dynamics and thermodynamics. *Journal of Climate* 13:3099-3114.
- Zhang YX, Hunke EC (2001) Recent Arctic change simulated with a coupled ice-ocean model. *J Geophys Res-Oceans* 106:4369-4390.

Zhulidov AV, Khlobystov VV, Robarts RD, Pavlov DF (2000) Critical analysis of water quality monitoring in the Russian Federation and former Soviet Union. *Can J Fish Aquat Sci* 57:1932-1939.

Zimov SA, Daviodov SP, Voropaev YV, Prosyannikov SF, Semiletov IP, Chapin MC, Chapin FS (1996) Siberian CO<sub>2</sub> efflux in winter as a CO<sub>2</sub> source and cause of seasonality in atmospheric CO<sub>2</sub>. *Climatic Change* 33:111-120.

Zimov SA, Semiletov IP, Daviodov SP, Voropaev YV, Prosyannikov SF, Wong CS, Chan Y-H (1993) Wintertime CO<sub>2</sub> emission from soils of northeastern Siberia. *Arctic* 46:197-204.

Zimov SA, Voropaev YV, Semiletov IP, Davidov SP, Prosyannikov SF, Chapin FS, Chapin MC, Trumbore S, Tyler S (1997) North Siberian lakes: A methane source fueled by Pleistocene carbon. *Science* 277:800-802.